

1. INTRODUCTION

1.1. Overview

This document was created using the template provided under the current practicing documentation.¹ This document comprises the practices utilized by Afilias, as Public Interest Registry's Back End Services Provider ("BESP"), to operate the DNS zone for the <.opr> (xn--c1avg) as it relates to the DNS Security Extensions.

1.2. Document name and identification

DNSSEC Practice Statement (DPS)
Version 1.04

1.3. Community and Applicability

This section describes the various "stakeholders" of the functionality provided by DNSSEC and a signed TLD.

1.3.1. The <.opr> TLD Registry

Afilias operates as Public Interest Registry's (the "Registry") BESP. As such, Afilias operates and performs the functions of maintaining the <.opr> zone, on behalf of the Registry.

The Registry is expected to perform the following functions:

- Generate the Key Signing Keys (KSK) for the zone.
- Generate the Zone Signing Keys (ZSK) for the zone.
- Sign the ZSK using the KSK.
- Sign the relevant Resource Records of the zone using the ZSK.
- Update the ZSK and KSK as needed.
- Send Delegation Signer (DS) Resource records to ICANN for inclusion into the root zone.
- Receive DS Resource Records from accredited registrars, and update the zone accordingly.
- Update the WHOIS information accordingly.

¹ Definitions for many of the terms used in this document are defined in Section 2 of the current Internet Draft from which this work was derived (as of this revision, that document is draft-ietf-dnsop-dnssec-dps-framework-07.txt.) References will be changed as needed as that document changes, or is published as an RFC.

1.3.2. Accredited Registrars

Registrars that are accredited by the Registry are required to make changes to the zone using one of two mechanisms: (1) via EPP, or (2) via a Web Administration Tool. The Web Administration Tool is an Afilias provided front end to EPP, so, in effect, all changes to the registry are made via EPP. For DNSSEC, registrars are expected to maintain Delegation Signer (DS) records with Afilias on behalf of their customer, the registrant.

1.3.3. Registrants

Registrants are responsible for ensuring that their second level zones are properly signed and maintained. They must also generate and upload DS records for their signed zones to their registrar (who, in turn, sends these into Afilias).

1.4. Specification Administration

1.4.1. Specification administration organization

Afilias maintains this specification.

1.4.2. Contact Information

Questions or concerns regarding this DPS, or the operation of <.opr> should be sent to the Afilias Customer Support Center. They can be reached via:

Phone: +1 416.646.3306

Email: support@afilias.info

1.4.3. Specification change procedures

The DPS is reviewed periodically and updated as appropriate.

All changes are reviewed by operations and security teams and submitted to executive management for approval. Once accepted, procedures are updated, and appropriate personnel are trained on any new or changed practice. Once all preparatory work has been completed, the DPS is published and becomes effective as of its publication.

2. PUBLICATION AND REPOSITORIES

2.1. Repositories

This DPS can be found at <http://www.afilias.info/dps>

Only the Afilias Operations department has the ability to update the contents of the website. ACLs on the file are Read-Only.

2.2. Publication of public keys

Afilias generates DS-record data the <.opr> zone. Key Signing Keys (KSKs) are signed with the Secure Entry Point (SEP) bit set. As soon as possible, Afilias sends DS-record data pertaining to these KSKs for the <.opr> zone to ICANN for publication in the root. No other trust anchors or repositories are used.

3. OPERATIONAL REQUIREMENTS

3.1. Meaning of domain names

Policies regarding restrictions on domain names within a given zone are specified by the registry operator, and vary from TLD to TLD.

3.2. Identification and authentication of child zone manager

The Registry must first give express permission to Afilias to permit DNSSEC for child zones in <.opr> . Only registrars (on behalf of their registrants) are permitted to activate DNSSEC for a child zone. To activate DNSSEC, a registrar must submit a Delegation Signer (DS) record either via the Web Administration Tool, or via EPP (according to RFC 5910).

For EPP, each registrar has unique credentials to access the <.opr> Registry, which are verified before EPP transactions of any kind can be conducted. For the Web Administration Tool, certificates are used to uniquely identify each registrar.

3.3. Registration of delegation signer (DS) resource records

DS records are sent to the registry by the registrar via EPP (specifically, according to RFC 5910). Once submitted to <.opr> Registry, the WHOIS data is changed, and the zone changes are automatically propagated out to the DNS infrastructure.

3.4. Method to prove possession of private key

It is the responsibility of the accredited registrar to ensure the integrity of the data submitted to Afiliás. There is no requirement that a corresponding DNSKEY already be published in a zone before a DS record is submitted to the parent. This makes proof of possession of a private key unpredictable. Afiliás therefore does not perform any tests to prove possession of a private key.

3.5. Removal of DS record

3.5.1. Who can request removal

Only the sponsoring registrar for a domain name can add, change, or delete DS records for that domain name. Registrars must provide an Auth-Info code to verify any change for this domain name.

3.5.2. Procedure for removal request

DS records are removed using the appropriate EPP command, as specified by RFC 5910. Only the Sponsoring Registrar can request a DS record be removed, and then only if they include the correct Auth-Info code.

3.5.3. Emergency removal request

Because this is facilitated via EPP, and the system is updated continuously, there is no additional procedure required for an emergency removal request.

4. FACILITY, MANAGEMENT AND OPERATIONAL CONTROLS

4.1. Physical Controls

Afiliás uses two geographically separate sites located in different countries that are not part of our offices. Both sites are physically protected environments that deter, prevent, and detect unauthorized use of, access to, and disclosure of sensitive information and systems. Both facilities limit access to authorized personnel. Visitors are only permitted by escort from Authorized personnel, and for a specific purpose (such as hardware repair by a technician).

Both facilities provide redundant and backup power, air conditioning, and fire suppression and protection services. The sites provide redundant and backup DNSSEC services for each other. Reasonable precautions have been taken to minimize the impact of water exposure to Afiliás systems.

Media with sensitive information is stored within Afiliat facilities with appropriate physical and logical access controls designed to limit access to authorized personnel.

Sensitive documents, materials, and media are shredded or rendered unreadable before disposal.

Afiliat performs routine backups of critical system data and maintains an off-site backup with a bonded third party storage facility.

4.2. Procedural Controls

There are at least two operational teams with access to and responsibility for the signer systems. Each team member holds a part of the password necessary to grant access to the signer systems. Any task performed on a signer system requires an authorized representative from each team to be present.

4.3. Personnel Controls

Afiliat requires that all personnel taking part in a trusted role have to have been working for Afiliat for at least one year and must have the qualifications necessary for the job role.

Afiliat provides training to all personnel upon hire as well as requisite training needed to perform job responsibilities. Refresher training and updates are provided as needed. Personnel are rotated and replaced as needed.

In limited circumstances, contractors may be permitted to occupy a trusted role. Any such contractor is required to meet the same criteria applied to an Afiliat employee in a comparable position.

Afiliat provides all employees with the materials and documentation necessary to perform their job responsibilities.

4.4. Audit Logging Procedures

All key life cycle events, including but not limited to generation, activation, rollover, destruction, and use, whether successful or unsuccessful, are logged with a system that includes mechanisms to protect the log files from unauthorized viewing, modification, deletion, or other tampering.

Access to physical facilities is logged by the facility and the log is only accessible to authorized personnel.

Afilias monitors all log entries for alerts based on irregularities and incidents. The Afilias security team reviews all audit logs at least weekly for suspicious or unusual activity.

4.5. Compromise and Disaster Recovery

In the event of a key compromise or disaster, Afilias' incident response team would be notified. The response team has documented procedures for investigation, escalation, and response. The team is responsible for assessing the situation, developing an action plan, and implementing the action plan with approval from executive management.

Afilias maintains redundant facilities to ensure immediate availability of a disaster recovery site should one site become unavailable. Key data is cloned, encrypted, and sent to a hot spare in the same facility, and to two spares in the redundant facility. The ability to encrypt and decrypt the key data resides entirely within each system's High Security Module, and exists nowhere external to the signing systems.

4.6. Entity termination

Afilias has adopted a DNSSEC termination plan in the event that the roles and responsibilities of the signing services must transition to other entities. Afilias will coordinate with all required parties in order to execute the transition in a secure and transparent manner.

5. TECHNICAL SECURITY CONTROLS

5.1. Key Pair Generation and Installation

All key pairs are generated on the signer systems according to parameters set by the operational team. The signer systems meet the requirements of FIPS 140-2 level 3. The public key is automatically inserted in the <.opr> zone file as a DNSKEY resource record as part of the signing process. A DS record is made available for submission to the parent (root) zone.

The signer system maintains the separation of the KSK from the ZSK and manages the use of each key pair as appropriate. Each key is used for only one zone.

5.2. Private key protection and Cryptographic Module Engineering Controls

All signing systems are FIPS 140-2 level 3 certified. No unencrypted access to the private key is permitted. Access to the signer system is specified in the Procedural and Personnel Control sections.

Multiple redundant signing systems are maintained. The systems include a mechanism to backup key pairs and other operational parameters to each other in a secure manner. Private keys are not otherwise backed up, escrowed, or archived. When a private key is deactivated it is destroyed by the signing system.

A trusted team has the authority to create, activate, and deactivate key pairs, and executes the responsibility according to documented policies and procedures.

5.3. Other Aspects of Key Pair Management

5.3.1. Public key archival

Obsolete public keys are not archived.

5.3.2. Key Usage Periods

Zone Signing Keys (ZSKs) are used in production for approximately one month before being rolled. Key Signing Keys (KSKs) are expected to be rolled every five years.

5.4. Activation Data

Activation data is a set of passwords corresponding to a user accounts with key-generation privileges. The passwords are “split” to ensure that no single operator can perform these operations.

5.5. Computer Security Controls

Afilias ensures that the systems maintaining key software and data files are trustworthy systems secure from unauthorized access. In addition, Afilias limits access to production servers to those individuals with a valid business reason for such access. General application users do not have accounts on production servers.

5.6. Network Security Controls

The signing systems are placed in Afilias’ production systems, which are logically separated from all other systems. Use of normal network security

mechanisms such as firewalls mitigate intrusion threats; only restricted role users are allowed access to production systems, and their work is logged.

5.7. Timestamping

The signer systems securely synchronize their system clocks with a trusted time source inside the Afiliast network.

5.8. Life Cycle Technical Controls

Applications developed and implemented by Afiliast conform to its development and change management procedures. All software is traceable using version control systems. Software updates in production are part of a package update mechanism, controlled via restricted role access and updated via automated recipes. All updates and patches are subject to complete verification prior to deployment.

Afiliast uses a third-party solution on its signer systems, where updates are tested in a secure lab environment prior to deployment.

6. ZONE SIGNING

6.1. Key lengths and algorithms

Key Signing Key

Afiliast uses a key length of 2048 bits with RSA as the generation algorithm.

Zone Signing Key

Afiliast uses a key length of 1024 bits with RSA as the generation algorithm.

6.2. Authenticated denial of existence

Authenticated denial of existence will be provided through the use of NSEC3 records as specified in RFC 5155 [RFC5155].

6.3. Signature format

SHA1, using RSA

6.4. Zone signing key roll-over

Afiliast will roll the ZSK with a pre-publishing scheme as described in RFC 4641, section 4.2.1.1. ZSK roll-over is carried out once a month.

6.5. Key signing key roll-over

Afiliast will roll the KSK with a double-signing scheme as described in RFC

4641, section 4.2.1.2. There are no planned KSK rollover frequencies defined at this time.

6.6. Signature life-time and re-signing frequency

Zones are signed once every 8 or 9 days (4 times a month), with a signature life-time of 20 days. Jitter is introduced to avoid presumptive attacks during signing.

6.7. Verification of zone signing key set

Verification of the zone signing key set is performed by validating the public key data contained in the Key Signing Record.

6.8. Verification of resource records

All RRset signatures are verified prior to publication.

6.9. Resource records time-to-live

DNSKey	15 minutes
NSEC3	SOA minimum (24 hours)
Delegation Signer (DS)	24 hours
RRSIG	varies depending on the RR covered

7. COMPLIANCE AUDIT

7.1. Frequency of entity compliance audit

Compliance Audits are intended to be conducted at least biennially.

7.2. Identity/qualifications of auditor

The auditor will be an entity who is proficient in the technologies they are auditing, and are independent from Afilias and the Registry.

7.3. Auditor's relationship to audited party

Auditors must be independent to Afilias and the Registry.

7.4. Topics covered by audit

Environmental, network and software controls, operations, key management practices and operations.

7.5. Actions taken as a result of deficiency

Any gaps identified in the audit will result in the creation of an action map, which lists what actions are necessary for the resolution of each gap. Management will design and implement mitigating steps to close the gaps identified.

7.6. Communication of results

Afilias will communicate results to the Registry and will publish results at <http://www.afilias.info/dps>.

8. LEGAL MATTERS

This DPS is to be construed in accordance with and governed by Commonwealth of Virginia without giving effect to any choice of law rule that would cause the application of the laws of any jurisdiction other than the state and federal courts within the Commonwealth of Virginia.

The following material shall be considered confidential:

- Private keys
- Information necessary to retrieve/recover private keys
- Disaster recovery plans (DRPs)
- Any operational details relevant to the management and administration of DNS keys, including but not limited to network, software, hardware details.

Public Interest Registry does not implicitly or explicitly provide any warranty, and has no legal responsibility for any procedure or function within this DPS. Public Interest Registry shall not be liable for any financial damages or losses arising from the use of keys, or any other liabilities. All legal questions or concerns should be sent to ops@pir.org.